

Pneumatic Tools

High Power Straight Grinders



Application Sectors

- Aerospace
- Automotive
- Die and Mould
- Fabrication
- Foundries
- Shipyards

Recommended Consumables

- Tungsten Carbide Burrs
- Mounted Points
- Flap Wheels
- Abrasive Bands

Key Points

- A wide range of tools and speeds available to suit all applications
- Powerful motor produces good surface finish
- Front and rear exhaust options


Areas of Use

General sanding, blending, deburring and polishing



S22LRHD


S10L




| Model Ref. | S22L | S22LR | S22LHD | S22LRHD |
|---------------------------------|-----------------|-----------------|-----------------|-----------------|
| Speed (rpm) | 22,000 | 22,000 | 22,000 | 22,000 |
| Power | 0.63kW / 0.85Hp | 0.63kW / 0.85Hp | 0.63kW / 0.85Hp | 0.63kW / 0.85Hp |
| Weight (kgs) | 0.93 | 1.00 | 1.10 | 1.20 |
| Noise Level (dbA) | 71 | 70 | 71 | 70 |
| Standard Collet (mm) | 6 (Type CA) | 6 (Type CA) | 6 (Type CA) | 6 (Type CA) |
| Air Usage (m ³ /min) | 0.85 | 0.85 | 0.85 | 0.85 |
| Exhaust | Front | Rear | Front | Rear |
| Control | Lever throttle | Lever throttle | Lever throttle | Lever throttle |
| Hose | Option-1/4" | Included-1/4" | Option-1/4" | Included-1/4" |

M Replacement motors available.

High Power Straight Grinders



| Model Ref. | S16L | S16LR | S16LHD | S16LRHD |
|---------------------------------|-----------------|-----------------|-----------------|-----------------|
| Speed (rpm) | 16,000 | 16,000 | 16,000 | 16,000 |
| Power | 0.63kW / 0.85Hp | 0.63kW / 0.85Hp | 0.63kW / 0.85Hp | 0.63kW / 0.85Hp |
| Weight (kgs) | 0.93 | 1.00 | 1.10 | 1.20 |
| Noise Level (dbA) | 66 | 65 | 66 | 65 |
| Standard Collet (mm) | 6 (Type CA) | 6 (Type CA) | 6 (Type CA) | 6 (Type CA) |
| Air Usage (m ³ /min) | 0.85 | 0.85 | 0.85 | 0.85 |
| Exhaust | Front | Rear | Front | Rear |
| Control | Lever throttle | Lever throttle | Lever throttle | Lever throttle |
| Hose | Option-1/4" | Included-1/4" | Option-1/4" | Included-1/4" |



| Model Ref. | S10L | S10LR | S10LHD | S10LRHD |
|---------------------------------|-----------------|-----------------|-----------------|-----------------|
| Speed (rpm) | 10,000 | 10,000 | 10,000 | 10,000 |
| Power | 0.63kW / 0.85Hp | 0.63kW / 0.85Hp | 0.63kW / 0.85Hp | 0.63kW / 0.85Hp |
| Weight (kgs) | 0.93 | 1.00 | 1.10 | 1.20 |
| Noise Level (dbA) | 65 | 64 | 65 | 64 |
| Standard Collet (mm) | 6 (Type CA) | 6 (Type CA) | 6 (Type CA) | 6 (Type CA) |
| Air Usage (m ³ /min) | 0.85 | 0.85 | 0.85 | 0.85 |
| Exhaust | Front | Rear | Front | Rear |
| Control | Lever throttle | Lever throttle | Lever throttle | Lever throttle |
| Hose | Option-1/4" | Included-1/4" | Option-1/4" | Included-1/4" |