

## Mounted points

Schleifstifte

Meules sur tige

Muelas de corindón



### Aluminium oxide / Aluminiumoxid / Oxyde d'aluminium / Óxido de aluminio

Pink / Rosa / Rose / Rosa

Shape B / Form B / Forme B / Forma B

For actual size shape reference see pages 121-124

Für genaue Größenformkennung siehe Seiten 121-124

Pour le gabarit grandeur nature, voir pages 121-124

Para la referencia a tamaño / forma real, véanse las páginas 121-124

Maximum permissible speeds based on a maximum overhang of 13mm

Maximal zulässige Drehzahl basiert auf einem maximalen Überhang von 13mm

Vitesses maximales permises, pour un porte-à-faux maximum de 13mm

Velocidades máximas permisibles sobre la base de un saliente máximo de 13mm

shape/Form/Forme/Forma	B41	B42	B44	B46	B52	B53	B62	B71
	GHB04103PKM	GHB04203PKM	GHB04403PKM	GHB04603PKM	GHB05203PKM	GHB05303PKM	GHB06203PKM	GHB07103PKM
Part Nr								
d1	16mm	13mm	6mm	3mm	10mm	6mm	13mm	16mm
l1	16mm	19mm	10mm	8mm	19mm	16mm	10mm	3mm
d2	3mm	3mm	3mm	3mm	3mm	3mm	3mm	3mm
	33,750	33,750	68,400	105,000	45,370	60,000	41,020	59,680
	10	10	10	10	10	10	10	10
IPC Code	41	41	41	41	41	41	41	41

shape/Form/Forme/Forma	B81	B91	B92	B97	B98	B101	B103	B104
	GHB08103PKM	GHB09103PKM	GHB09203PKM	GHB09703PKM	GHB09803PKM	GHB10103PKM	GHB10303PKM	GHB10403PKM
Part Nr								
d1	19mm	13mm	6mm	3mm	3mm	16mm	16mm	8mm
l1	5mm	16mm	6mm	10mm	6mm	18mm	5mm	10mm
d2	3mm	3mm	3mm	3mm	3mm	3mm	3mm	3mm
	47,750	34,500	81,370	105,000	105,000	33,750	59,680	68,400
	10	10	10	10	10	10	10	10
IPC Code	41	41	41	41	41	41	41	41

shape/Form/Forme/Forma	B121	B122	B123	B131	B132	B133	B135
	GHB12103PKM	GHB12203PKM	GHB12303PKM	GHB13103PKM	GHB13203PKM	GHB13303PKM	GHB13503PKM
Part Nr							
d1	13mm	10mm	5mm	13mm	10mm	10mm	6mm
l1	13mm	10mm	5mm	13mm	13mm	10mm	13mm
d2	3mm	3mm	3mm	3mm	3mm	3mm	3mm
	45,370	61,650	104,250	34,500	45,370	54,000	60,000
	10	10	10	10	10	10	10
IPC Code	41	41	41	41	41	41	41



## Mounted points

Schleifstifte  
Meules sur tige  
Muelas de corindón

### Aluminium Oxide / Aluminiumoxid / Oxyde d'aluminium / Óxido de aluminio

Pink / Rosa / Rose / Rosa

Shape A / Form A / Forme A / Forma A

For actual size shape reference see pages 121-124

Für genaue Größenformkennung siehe Seiten 121-124

Pour le gabarit grandeur nature, voir pages 121-124

Para la referencia a tamaño / forma real, véanse las páginas 121-124



A1	A2	A3	A3S	A4	A5	A11	A12
GHA01006PKM	GHA02006PKM	GHA03006PKM	GHA03S06PKM	GHA04006PKM	GHA05006PKM	GHA11006PKM	GHA12006PKM
19mm	25mm	25mm	16mm	32mm	19mm	22mm	18mm
63mm	32mm	70mm	45mm	32mm	28mm	50mm	32mm
6mm	6mm	6mm	6mm	6mm	6mm	6mm	6mm
19,800	38,000	16,100	17,000	29,840	45,000	19,860	48,000
10	10	10	10	10	10	10	10
41	41	41	41	41	41	41	41

shape/Form/Forme/Forma

Part Nr

d1

l1

d2



IPC Code



A13	A14	A15	A21	A23	A24	A25	A26
GHA13006PKM	GHA14006PKM	GHA15006PKM	GHA21006PKM	GHA23006PKM	GHA24006PKM	GHA25006PKM	GHA26006PKM
28mm	18mm	6mm	25mm	19mm	6mm	25mm	16mm
28mm	22mm	27mm	25mm	25mm	19mm	25mm	16mm
6mm	6mm	6mm	6mm	6mm	6mm	6mm	6mm
33,950	53,050	72,750	34,500	39,370	76,500	35,620	59,680
10	10	10	10	10	10	10	10
41	41	41	41	41	41	41	41

shape/Form/Forme/Forma

Part Nr


d1

l1

d2



IPC Code



A31	A32	A33	A34	A35	A36	A37	A38	A39
GHA31006PKM	GHA32006PKM	GHA33006PKM	GHA34006PKM	GHA35006PKM	GHA36006PKM	GHA37006PKM	GHA38006PKM	GHA39006PKM
35mm	25mm	25mm	38mm	25mm	41mm	32mm	25mm	19mm
25mm	16mm	13mm	10mm	10mm	10mm	6mm	25mm	19mm
6mm	6mm	6mm	6mm	6mm	6mm	6mm	6mm	6mm
27,260	38,200	38,000	25,130	38,200	23,520	29,840	34,500	47,250
10	10	10	10	10	10	10	10	10
41	41	41	41	41	41	41	41	41

shape/Form/Forme/Forma

Part Nr

d1

l1

d2



IPC Code



#### ALUMINIUM OXIDE MOUNTED POINTS

- Ideal for grinding and finishing on Stainless Steel, Cast Iron and High Alloy Steel
- Wide range of shapes & sizes available



#### ALUMINIUM OXID

- Optimal für das Schleifen und die Fertigstellung von Edelstahl, Gusseisen und hochlegiertem Stahl
- In mehreren Formen und Größen erhältlich



#### Meules sur tige EN OXYDE D'ALUMINIUM

- Idéal pour le meulage et la finition de l'acier inoxydable, de la fonte et de l'acier fortement allié
- Large éventail de formes & de tailles



#### MUELAS MONTADAS DE ÓXIDO DE ALUMINIO

- Ideales para el esmerilado y acabado sobre el Acero Inoxidable, Fundición de Hierro y Acero de Alta Aleación
- Está disponible una extensa gama de formas y tamaños

## Mounted points

Schleifstifte

Meules sur tige

Muelas de corindón



### Aluminium oxide / Aluminiumoxid / Oxyde d'aluminium / Óxido de aluminio

Pink / Rosa / Rose / Rosa

Shape W / Form W / Forme W / Forma W

For actual size shape reference see pages 121-124

Für genaue Größenformkennung siehe Seiten 121-124

Pour le gabarit grandeur nature, voir pages 121-124

Para la referencia a tamaño / forma real, véanse las páginas 121-124

shape/Form/Forme/Forma	W200								
	Part Nr	GHW20006PKM	GHW20106PKM	GHW20306PKM	GHW20406PKM	GHW20506PKM	GHW20706PKM	GHW20806PKM	GHW21506PKM
d1	19mm	19mm	19mm	19mm	19mm	19mm	19mm	19mm	25mm
l1	3mm	6mm	13mm	19mm	25mm	38mm	51mm	3mm	
d2	6mm	6mm	6mm	6mm	6mm	6mm	6mm	6mm	6mm
	47,750	47,750	47,750	42,750	34,500	24,000	18,750	38,200	
	10	10	10	10	10	10	10	10	10
IPC Code	51	51	51	51	51	51	51	51	51

shape/Form/Forme/Forma	W216								
	Part Nr	GHW21606PKM	GHW21806PKM	GHW22006PKM	GHW22206PKM	GHW22606PKM	GHW22706PKM	GHW22806PKM	GHW23006PKM
d1	25mm	25mm	25mm	25mm	32mm	32mm	32mm	32mm	32mm
l1	6mm	13mm	25mm	50mm	10mm	13mm	19mm	32mm	
d2	6mm	6mm	6mm	6mm	6mm	6mm	6mm	6mm	6mm
	38,200	38,200	25,500	15,900	29,840	29,840	29,840	20,400	
	10	10	10	10	10	10	10	10	10
IPC Code	51	51	51	51	51	51	51	51	51

shape/Form/Forme/Forma	W232			W236			W242		
	Part Nr	GHW23206PKM		GHW23606PKM		GHW24206PKM			
d1	32mm		38mm		50mm				
l1	50mm		13mm		25mm				
d2	6mm		6mm		6mm				
	14,250		25,130		19,100				
	10		10		10				
IPC Code	51		51		51				



**Mounted points**  
Schleifstifte  
Meules sur tige  
Muelas de corindón

**Aluminium oxide** / Aluminiumoxid / Oxyde d'aluminium / Óxido de aluminio

Pink / Rosa / Rose / Rosa

Shape W / Form W / Forme W / Forma W

For actual size shape reference see pages 121-124


Für genaue Größenformkennung siehe Seiten 121-124

Pour le gabarit grandeur nature, voir pages 121-124


Para la referencia a tamaño / forma real, véanse las páginas 121-124




W144	W145	W146	W152	W153	W154	W160	W162	shape/Form/Forme/Forma
GHW14403PKM	GHW14503PKM	GHW14603PKM	GHW15203PKM	GHW15303PKM	GHW15403PKM	GHW16003PKM	GHW16203PKM	Part Nr
3mm	3mm	3mm	5mm	5mm	5mm	6mm	6mm	d1
6mm	10mm	13mm	6mm	10mm	13mm	6mm	10mm	l1
3mm	3mm	3mm	3mm	3mm	3mm	3mm	3mm	d2
105,000	105,000	105,000	105,000	80,850	70,000	81,370	68,400	IPC Code
10	10	10	10	10	10	10	10	
51	51	51	51	51	51	51	51	



W163	W164	W170	W175	W176	W177	W178	W179	shape/Form/Forme/Forma
GHW16303PKM	GHW16403PKM	GHW17003PKM	GHW17503PKM	GHW17603PKM	GHW17706PKM	GHW17806PKM	GHW17906PKM	Part Nr
6mm	6mm	8mm	10mm	10mm	10mm	10mm	10mm	d1
13mm	19mm	13mm	10mm	13mm	19mm	25mm	32mm	l1
3mm	3mm	3mm	3mm	3mm	6mm	6mm	6mm	d2
60,000	45,900	55,000	54,000	45,370	66,000	55,200	45,000	IPC Code
10	10	10	10	10	10	10	10	
51	51	51	51	51	51	51	51	



W182	W185	W186	W187	W188	W189	W196	W197	shape/Form/Forme/Forma
GHW18206PKM	GHW18506PKM	GHW18606PKM	GHW18706PKM	GHW18806PKM	GHW18906PKM	GHW19606PKM	GHW19706PKM	Part Nr
13mm	13mm	13mm	13mm	13mm	13mm	16mm	16mm	d1
3mm	13mm	19mm	25mm	38mm	50mm	25mm	50mm	l1
6mm	6mm	6mm	6mm	6mm	6mm	6mm	6mm	d2
73,460	61,500	51,000	40,000	30,370	24,000	35,250	21,000	IPC Code
10	10	10	10	10	10	10	10	
51	51	51	51	51	51	51	51	



## Mounted points

Schleifstifte

Meules sur tige

Muelas de corindón



### Aluminium oxide / Aluminiumoxid / Oxyde d'aluminium / Óxido de aluminio

Pink / Rosa / Rose / Rosa

Trial kit / Sortiment / Kit d'essai / Kit de prueba

Part Nr	contents Sortimentsinhalt / contenu / contenido				IPC Code
A5	6mm	45,000	1	41	
A11	6mm	19,860	1	41	
A12	6mm	48,000	1	41	
A13	6mm	33,950	1	41	
A14	6mm	53,050	1	41	
A24	6mm	76,500	1	41	
A25	6mm	35,620	1	41	
A26	6mm	59,680	1	41	
B46	3mm	105,000	1	41	
GHZP	B52	3mm	45,370	1	41
	B92	3mm	81,370	1	41
	B97	3mm	105,000	1	41
	B101	3mm	33,750	1	41
	B103	3mm	59,680	1	41
	B132	3mm	45,370	1	41
	W163	3mm	60,000	1	41
	W188	6mm	30,370	1	41
	W208	6mm	18,750	1	41
	W216	6mm	38,200	1	41
	W220	6mm	25,500	1	41

Maximum permissible speeds based on a maximum overhang of 13mm

Maximal zulässige Drehzahl basiert auf einem maximalen Überhang von 13mm

Vitesses maximales permises, pour un porte-à-faux maximum de 13mm

Velocidades máximas permisibles sobre la base de un saliente máximo de 13mm




## Mounted points

Schleifstifte  
Meules sur tige  
Muelas de corindón

**Mounted points shape reference** / Schleifstift-Formkennung / Gabarit pour les pointes à monter sur tiges / Referencia de forma de muelas de corindón

Shape A / Form A / Forme A / Forma A

Illustrations show actual size / Abbildungen zeigen genaue Größe / Illustrations grandeur réelle / Ilustraciones a tamaño real



## Mounted points

Schleifstifte

Meules sur tige




Muelas de corindón



**Mounted points shape reference** / Schleifstift-Formkennung / Gabarit pour les pointes à monter sur tiges / Referencia de forma de muelas de corindón

Shape A & B / Form A & B / Forme A & B / Forma A & B

Illustrations show actual size / Abbildungen zeigen genaue Größe / Illustrations grandeur réelle / Ilustraciones a tamaño real








## Mounted points

Schleifstifte  
Meules sur tige  
Muelas de corindón

**Mounted points shape reference** / Schleifstifte-formkennung / Gabarit pour les pointes à monter sur tiges / Referencia de forma de muelas de corindón

Shape W / Form W / Forme W / Forma W

Illustrations show actual size / Abbildungen zeigen genaue Größe / Illustrations grandeur réelle / Ilustraciones a tamaño real





# Abrasives

Schleifmittel / Abrasifs / Abrasivos

**Garryson®**  
Abrasive, Burrs & Routers

## Mounted points

Schleifstifte

Meules sur tige

Muelas de corindón

